



**AMENDMENTS TO THE SPECIFICATION**

Please add the following paragraph after the paragraph ending on page 5, line 8:

--Further scope of the applicability of the present invention will become apparent from the detailed description given hereinafter. However, it should be understood that the detailed description and specific examples, while indicating preferred embodiments of the invention, are given by way of illustration only, since various changes and modifications within the spirit and scope of the invention will become apparent to those skilled in the art from this detailed description.--

Please amend the paragraph beginning on page 5, line 10, as follows:

--The present invention ~~can be~~ will become more fully understood ~~by reading from the subsequent detailed description given hereinbelow and in conjunction with the examples and references made to the accompanying drawings, which are given by way of illustration only, and thus are not limitative of the present invention, and wherein:--~~

Please amend the paragraph beginning on page 6, line 3, as follows:

--Fig. 7 is a partially enlarged view of the gap G in accordance with the present invention;--

Please add the following paragraphs after the paragraph ending on page 6, line 4:

--Fig. 8a is a schematic diagram of an exemplary embodiment of the fan housing in use in accordance with the present invention; and

Fig. 8b is a schematic diagram of an exemplary embodiment of the fan housing in use in accordance with the present invention.--

Please amend the paragraph beginning on page 6, line 12, as follows:

--Figs. 5a and 5b show a first embodiment of a fan housing in a fan assembly of the present invention. The fan housing 5 includes a main body 51, a first section 52, a second section 53, a fastening structure 54 and a screw 55. Both the first and second sections 52 and 53 are disposed on the main body 51. The first section 52 has a through hole 521. The fastening structure 54 has a threaded hole. In addition, the fan housing 5 further includes a base 511 for supporting the stator and rotor, and a plurality of ribs or stator blades ~~55~~512 disposed between the base 511 and the main body 51. The stator blades ~~55~~ have shape similar to those of rotor blades 55 of the rotor, and have the same inclined angle.--

Please amend the paragraph beginning on page 6, line 24, as follows:

--In Fig. 5b, a gap G is formed between the first section 52 and the second section 53. The fastening structure 54 is placed in the gap G. When the fan assembly is fixed onto a system frame 56, the screw 55 passes through the hole 561 in the system frame 56 and then passes through the through hole 521 of the first section ~~54~~52, and finally engages with the threaded hole 541 of the fastening structure 54. The second section 53 prevents the fastening structure 54 from moving along an axial direction of the screw 55.--

Please amend the paragraph beginning on page 8, line 3, as follows:

--Moreover, the fastening structure can be a hook. For example, as shown in Fig. 8a, the hook 6 passes through the hole 561 on the system frame 56 ~~or~~ and then joins the gap G from outside of the fan housing. Alternatively, as shown in Fig. 8b, the hook 6 passes through the hole 561 on the system frame 56 and the through hole 521 of the first section 52 accordingly, and then connects the gap G. The two methods mentioned above achieve the same result of fixing the fan assembly to the system frame 56.--